Notice of Allowability	Application No.	Applicant(s)
	10/628,625	SAMPLE ET AL.
	Examiner	Art Unit
	Scott Kastler	1742

As damin solved to the Association of the Associati

- This communication is responsive to the application filed on 7-28-2003.
- The allowed claim(s) is/are 1-40.
- 3. The drawings filed on 28 July 2003 are accepted by the Examiner.
- 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) All b) Some\* c) None of the:
  - Certified copies of the priority documents have been received.
  - Certified copies of the priority documents have been received in Application No. \_\_\_\_\_\_.
  - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78

  (a) The translation of the foreign language provisional application has been received.
- Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet, 37 CFR 1.78.

Applicant has THREE MONTHS FROM THE IMAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANCOMMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

7. ☐ A SUSSTITUTE CATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF

INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient

CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached

hereto or 2) to Peper No. \_\_\_\_\_

(b) Including changes required by the proposed drawing correction filed \_\_\_\_\_\_ which has been approved by the Examiner.

(c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

 □ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

- 1⊠ Notice of References Cited (PTO-892) 2□ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3 Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. 7/28/03
- 4 Examiner's Comment Regarding Requirement for Deposit of Biological Material
- 5 Notice of Informal Patent Application (PTO-152)
- 6 Interview Summary (PTO-413), Paper No.\_\_\_\_\_.
- 7 Examiner's Amendment/Comment

  R⊠ Examiner's Statement of Reasons for Allowance
- 9□ Other . Scott Kastler

Application/Control Number: 10/628,625 Art Unit: 1742

## Allowable Subject Matter

## Claims 1-40 are allowed.

The following is an examiner's statement of reasons for allowance: Each of the above claims is allowable over the cited prior art at least because none of the cited prior art shows or fairly suggests a dual action valve for use in molten metals including two float means (the inlet float member and the outlet float assembly of independent claims 1 and 25) which accurately meter the molten metal flow through the valve while substantially eliminating any reverse molten metal flow through the valve.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Each of Sample et al'674, Sample et al'508, Wagstaff et al and Fehling et al are also cited as further examples of prior art molten metal valves.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Scott Kassler whose telephone number is (571) 272-1243. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Roy King can be reached on (571) 272-1244. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Scott Kastler Primary Examiner Art Unit 1742

sk